



MEGADYNE



MEGALINEAR LIVE ROLLER BELT

AM-EN

PRODUCT
BROCHURE

MEGALINEAR MLR-45

MLR-45 - **MEGALINEAR LIVE ROLLER** 45MM
THE NEW MEGADYNE SUPER HIGH
PERFORMANCE BELT DESIGNED TO EXCEED
THE SPECIFIC NEEDS OF DEMANDING
APPLICATIONS IN AUTOMATED WAREHOUSE
SYSTEMS.

In the realm of modern intralogistics, power transmission belt systems must meet rigorous criteria: reliability, durability, and efficiency. Critical to belt performance is its interaction with rollers. The belt must exhibit flexibility while optimizing friction on metal rollers. This flexibility ensures smooth navigation through the twists and turns of the roller conveyors. The choice of belt material and design is crucial for achieving a balance—providing robust friction on metal rollers for secure item transfer and low friction on idlers to minimize energy consumption.

A well-engineered belt, adept at enduring bending cycles, modulating friction, and conserving energy, becomes integral to the reliability, durability, and efficiency of the entire intralogistics operation. Typically delivered in open-end rolls, these belts require on-site customization by warehouse maintenance teams.

MEGADYNE SUPER HIGH PERFORMANCE SOLUTION

Megadyne introduces **MEGALINEAR MLR-45**: a durable, reliable and low-maintenance engineered belt for extended life in demanding applications in Logistics warehouse.

STRUCTURE

MEGALINEAR MLR-45 is manufactured from polyurethane 85 ShA, in standard green and alternative version with black antistatic fabric on the bottom.

Features:

- central aramide cords packed to avoid the possibility of cords at the sides
- green translucent finish for easy wear detection
- high friction surface
- optional - black fabric antistatic to offer a conductive characteristic and reduce dust abrasion and lower the friction

Characteristics:

Standard Width: 45 mm

Standard Length: 100 – 150 – 200 m (other lengths on request)

Thickness: 4.5 mm

Max traction load: 9600 N

Breaking strenght: 38400 N

Working temperature: -13 / +176 °F (-25 / +80 °C)

MLR - 45



MEGALINEAR MLR-45

MEGALINEAR 45 GREEN - YOUR HIGH PERFORMANCE SOLUTION



MATERIAL
HANDLING

ADVANTAGES



FLEXIBILITY & HIGH PERFORMANCE

- high grip and less slip on the rollers



HIGH EFFICIENCY

- stable tension over time
- smooth running and designed for longer life



LESS MAINTENANCE

- easy installation
- fast and easy replacement on site
- easily spliced using common splicing equipment



ENERGY SAVING

- low energy consumption due to high flexibility




COST SAVING

- superior wear and abrasion resistance resulting in longer belt life
- improved resistance to ozone and temperature degradation
- increase flex life over time
- improved performance increasing machine run time



**Contact us
for more information**



MLR - 45



MEGADYNE

Discover Your Local Contact

The local partner of choice
for sustainable power transmission belting solutions
around the globe.



General Contact Information Megadyne

5 Dedrick Place
West Caldwell, NJ 07006
United States

Scan the QR code to
find your local contact.

megadynegroup.com

megadynegroup.com/usa/contact-us

