



**MEGADYNE**



## ***VERTICAL FORM- FILL-SEAL BELTS***

PRODUCT LINE  
BROCHURE

*AM-EN*


# VERTICAL FORM-FILL-SEAL BELTS

## CAPABILITIES




Megadyne offers an extensive line of Vertical Form, Fill, And Seal (VFFS) products. Our **NEW STOCK LINEUP** has many of the common sizes of VFFS belts supporting most OEM's. Specific equipment manufactured products can be crossed to improve order time. Process enhancements, skilled personnel, a can-do attitude and ongoing capital equipment investments enable Megadyne to stay at the forefront of new design developments and solution delivery to customers across the spectrum of industries we serve. In addition to materials and process selection of the base belt, Megadyne can fully customize our belts with the following machined modifications:


- Holes/Perforations
- Custom shapes
- Slots
- Tooth removal
- Grooves
- Back grinding
- Vacuum Countersinks
- V-Guides



Side view of teeth



Routed slots with holes



Groove ground on the tooth side



## FEATURES & BENEFITS:

- Standard OEM replacement belts for all major manufacturers
- Homogenous molded covers that provide uniform wear surfaces free of hard spots to increase performance
- Covers without any splices or seams for increased reliability
- Continuous durable wearing covers that provide consistent friction for life of the belt
- Non-glazing compounds that offer excellent grip and slip prevention
- Excellent abrasion resistance for an increased trouble-free lifespan
- Excellent flexibility without cracking or tearing
- CNC equipment used to machine holes, slots, grooves, and profiles within precise tolerances for outlasting performance
- Metal Sealing Bands available
- See a selection of our standard parts on the next page

## FOR MORE INFORMATION:

Scan the QR code below and fill out the form on our website for customized orders and more information on our engineered and specialty modifications available.



## TYPES OF COVERS:



Dark Green Millable Urethane



Blue Natural Rubber



Linatex®



Dual Durometer Orange Urethane



DuraTaq™ Orange Natural Rubber



Tan Gum Rubber



Yellow Foam




Red Natural Rubber



Black Natural Rubber



See More Cover Options at [megadynegroup.com](http://megadynegroup.com)




# VERTICAL FORM-FILL-SEAL BELTS

## PART REFERENCE

Equipment Manufacturer	MD Part Number	Size	Cover	Belt Type	Slots	Holes	Groove	*Prop 65
Eagle	GB-32.5R-PS	32.50" x 2.625"	Red	Flat	Diagonal	✓	N/A	CB
	835-5M-60-MB-P	835-5M-60	Blue	Timing	Horizontal	✓	✓	CB
Fabrima	25T10-800 NG-MWCBX	25T10-800	White	Timing	None	None	None	CB
Fres-co	285L100 NG-MG-H	285L100	Tan	Timing	None	✓	None	CB
Fuji	40-S8M-632-XN-P	40-S8M-632	Multiple	Timing	None	✓	✓	CB
Hayssen	720-8M-30	720-8M-30	None	Timing	None	None	None	CB
	1040-8M-30	1040-8M-30	None	Timing	None	None	None	CB
	GB-27.875RX.9375	27.875" x .245"	Red	Flat	None	None	N/A	CB
	GB-27.875BX.9375	27.875" x .245"	Blue	Flat	None	None	N/A	CB
	GB-23.875BX.9375	23.875" x .245"	Blue	Flat	None	None	N/A	CB
	280XL043 UP DDO	280XL043	Orange	Timing	None	None	None	—
	280XL093 UP DDO	280XL093	Orange	Timing	None	None	None	—
	280XL043 NG-MR	280XL043	Red	Timing	None	None	None	CB
	280XL093 NG-MR	280XL093	Red	Timing	None	None	None	CB
	340XL081 UK DDHB-G-P	340XL081	Orange	Timing	None	✓	✓	—
	SS-795-TFE	795 x 15 x 0.127 mm	Teflon	Stainless Steel	N/A	N/A	N/A	—
	SS-795-ECL	795 x 15 x 0.127 mm	Ellipse	Stainless Steel	N/A	N/A	N/A	—
SS-945-TFE	945 x 15 x 0.127 mm	Teflon	Stainless Steel	N/A	N/A	N/A	—	
Ilapak	270L100 NG-MG276	270L100	Tan	Timing	None	None	None	CB
	50T10-440 UK-MB35	50T10-440	Blue	Timing	None	None	None	—
	25T10-560 US MB35	25T10-560	Blue	Timing	None	None	None	—
Ishida	255H150 NG-MR-P1	255H150	Red	Timing	None	✓	✓	CB
	SS-28	28" x .75" x .005"	None	Stainless Steel	N/A	N/A	N/A	—
Kliklok	240XL150 NG-PG3	240XL150	Tan	Timing	None	None	None	CB
	240XL150 UP DD	240XL150	Orange	Timing	None	None	None	—
	320XL150 NG-MR-G	320XL150	Red	Timing	None	None	✓	CB
	320XL150 UPDDO-PG	320XL150	Orange	Timing	None	✓	✓	—
	320XL150 UPDD-G	320XL150	Orange	Timing	None	None	✓	—
	32T10-610 UPDDY-UP DD	32T10-610	Yellow	Timing	None	None	None	—
	320XL150 UP DD-SPEC-1	320XL150	Orange	Timing	None	None	None	—
Matrix	800-5M-25-ML	800-5M-25	Linatex®	Timing	None	None	None	CB
	890-5M-25-ML	890-5M-25	Linatex®	Timing	None	None	None	CB
	340XL175 UP DDO-P	340XL175	Orange	Timing	None	✓	✓	—
Pacmac	GB-27.875TX.9375	27.875 x .245 mm	Tan	Flat	None	None	N/A	CB
Rovema	FFS-A-M	50T10-630	Multiple	Timing	None	None	✓	CB
	FFS-G-M	50T10-630	Multiple	Timing	None	✓	✓	CB
	FFS-B-M	29T10-630	Multiple	Timing	None	None	✓	CB
	FFS-I-M	50T10-630	Multiple	Timing	None	None	None	CB
	FFS-E-M	50T10-630	Multiple	Timing	None	✓	✓	CB
	FFS-H-M	30T10-630	Multiple	Timing	None	✓	✓	CB
Sandiacre	225L093 NG-MR	225L093	Red	Timing	None	None	None	CB
	270L098 NG-MB-PS-A	270L098	Blue	Timing	Diagonal	✓	✓	CB
	270L098 NG-MB-PS-B	270L098	Blue	Timing	Diagonal	✓	✓	CB
TNA	367L050 NG-MBK-P	367L050	Black	Timing	None	✓	None	CB
Triangle	340XL180 UP-DSP	340XL180	Orange	Timing	Diagonal	✓	✓	—
	340XL175 UK DDO-P	340XL175	Orange	Timing	None	✓	✓	—
	340XL081 UK DDHB-G-P	340XL081	Orange	Timing	None	✓	✓	—

Not all sizes available from stock. Contact customer service for size and availability.

\* CB |  WARNING: This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

VFFS BELTS



# Discover Your Local Contact

The local partner of choice  
for sustainable power transmission belting solutions  
around the globe.



## General Contact Information Megadyne

5 Dedrick Place  
West Caldwell, NJ 07006  
United States

[megadynegroup.com](https://www.megadynegroup.com)  
[megadynegroup.com/usa/contact-us](https://www.megadynegroup.com/usa/contact-us)



Scan the QR code to  
find your local contact.



Activities performed and services rendered by a company of the AMMEGA Group are governed by the general terms and conditions of sale and delivery, as applied from time to time by the relevant company of the AMMEGA Group.